

	Type	Hits	Search Text	DBs
1	IS&R	7	((("4975714") or ("5894196") or ("4698730") or ("2469080") or ("2362176") or ("4733335") or ("5762414")).PN.	USPAT
2	IS&R	4	((("6361190") or ("5490045") or ("5093768") or ("4530040")).PN.	USPAT
3	BRS	746	complex near lens	USPAT; US-PGPUB; EPO; JPO; DERWENT
4	BRS	1718	compound near lens	USPAT; US-PGPUB; EPO; JPO; DERWENT
5	BRS	2430	(complex near lens) or (compound near lens)	USPAT; US-PGPUB; EPO; JPO; DERWENT
6	BRS	15661	lens with ((convex or converg\$4 or conden\$4) with plan\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT
7	BRS	27	((complex near lens) or (compound near lens)) and (lens with ((convex or converg\$4 or conden\$4) with plan\$4)) and (light near emitt\$5 near diod\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT
8	BRS	356	((complex near lens) or (compound near lens)) and (lens with ((convex or converg\$4 or conden\$4) with plan\$4))	USPAT; US-PGPUB; EPO; JPO; DERWENT
9	BRS	8434	(plan\$4 with convex) with lens	USPAT; US-PGPUB; EPO; JPO; DERWENT
10	BRS	786	((plan\$4 with convex) with lens) and (light near emitt\$5 near diod\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT
11	BRS	764	((plan\$4 with convex) with lens) and (light near emitt\$5 near diod\$4)) not (((complex near lens) or (compound near lens)) and (lens with ((convex or converg\$4 or conden\$4) with plan\$4)))	USPAT; US-PGPUB; EPO; JPO; DERWENT
12	BRS	488	((plan\$4 with convex) with lens) and (light near emitt\$5 near diod\$4)) not (((complex near lens) or (compound near lens)) and (lens with ((convex or converg\$4 or conden\$4) with plan\$4)))) and @ad < "20000811"	USPAT; US-PGPUB; EPO; JPO; DERWENT
13	BRS	216	359/721.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT
14	BRS	2	("4073578" "4151752").PN.	USPAT
15	BRS	5	4474437.URPN.	USPAT
16	BRS	128264	light near emitt\$5 near diod\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT
17	BRS	4800	lens with converg\$5 with (plan\$5 or (non near converg\$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT
18	BRS	428	(light near emitt\$5 near diod\$4) and (lens with converg\$5 with (plan\$5 or (non near converg\$6)))	USPAT; US-PGPUB; EPO; JPO; DERWENT
19	BRS	9	(light near emitt\$5 near diod\$4) and (lens with converg\$5 with (plan\$5 or (non near converg\$6))) and (parabol\$6 near reflector)	USPAT; US-PGPUB; EPO; JPO; DERWENT
20	BRS	138	(light near emitt\$5 near diod\$4) and (lens with converg\$5 with (plan\$5 or (non near converg\$6))) and reflector	USPAT; US-PGPUB; EPO; JPO; DERWENT

	Type	Hits	Search Text	DBs
21	BRS	9512	(converg\$5 and (plan\$5 or (non near converg\$6)) near surface)	USPAT; US-PGPUB; EPO; JPO; DERWENT
22	BRS	979	lens with (converg\$5 and (plan\$5 or (non near converg\$6)) near surface)	USPAT; US-PGPUB; EPO; JPO; DERWENT
23	BRS	142	(light near emitt\$5 near diod\$4) and (lens with (converg\$5 and (plan\$5 or (non near converg\$6)) near surface))	USPAT; US-PGPUB; EPO; JPO; DERWENT
24	BRS	938	(parabol\$5 near2 reflect\$5) and (collimat\$5 near4 lens)	USPAT; US-PGPUB; EPO; JPO; DERWENT
25	BRS	261	(light near emitt\$5 near diod\$4) and ((parabol\$5 near2 reflect\$5) and (collimat\$5 near4 lens))	USPAT; US-PGPUB; EPO; JPO; DERWENT
26	BRS	6	("1977689" "2215900" "2683394" "3330190" "4255042" "4257672").PN.	USPAT
27	BRS	46	4767172.URPN.	USPAT
28	BRS	1419	362/307,327,328.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT
29	BRS	117	362/307,327,328.ccls. and (light near emitt\$5 near diod\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT
30	BRS	82	362/307,327,328.ccls. and (light near emitt\$5 near diod\$4) and lens	USPAT; US-PGPUB; EPO; JPO; DERWENT
31	IS&R	1	("3331277").PN.	USPAT
32	IS&R	1	("2469080").PN.	USPAT
33	BRS	10	2469080.URPN.	USPAT
34	BRS	72826	luen-wai- yu.in.	EPO; DERWENT
35	BRS	72826	luen-wai yu.in.	EPO; DERWENT
36	BRS	5	810256.pn.	EPO; DERWENT
37	BRS	536	(high near power) near2 ((light near emitt\$5 near diod\$4) or LED)	USPAT; US-PGPUB; EPO; JPO; DERWENT
38	BRS	2223	flashlight and (parabolic neae reflector)	USPAT; US-PGPUB; EPO; JPO; DERWENT
39	BRS	14	((high near power) near2 ((light near emitt\$5 near diod\$4) or LED)) and (flashlight and (parabolic neae reflector))	USPAT; US-PGPUB; EPO; JPO; DERWENT
40	BRS	128350	light near emitt\$5 near diod\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT
41	BRS	10122	flashlight	USPAT; US-PGPUB; EPO; JPO; DERWENT
42	BRS	1270	(light near emitt\$5 near diod\$4) and flashlight	USPAT; US-PGPUB; EPO; JPO; DERWENT
43	BRS	191	(light near emitt\$5 near diod\$4) and flashlight and (print\$4 near circuit near board)	USPAT; US-PGPUB; EPO; JPO; DERWENT
44	BRS	117	(light near emitt\$5 near diod\$4) and flashlight and (print\$4 near clrcuit near board) and lens	USPAT; US-PGPUB; EPO; JPO; DERWENT
45	BRS	154	(high near power) near2 (light near emitt\$5 near diod\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT
46	BRS	0	((high near power) near2 (light near emitt\$5 near diod\$4)) with (parabolic\$4 near reflector)	USPAT; US-PGPUB; EPO; JPO; DERWENT
47	BRS	0	((high near power) near2 (light near emitt\$5 near diod\$4)) same (parabolic\$4 near reflector)	USPAT; US-PGPUB; EPO; JPO; DERWENT

	Type	Hits	Search Text	DBs
48	BRS	0	((high near power) near2 (light near emitt\$5 near diod\$4)) same (micro near reflector)	USPAT; US-PGPUB; EPO; JPO; DERWENT
49	BRS	1	((high near power) near2 (light near emitt\$5 near diod\$4)) and (micro near reflector)	USPAT; US-PGPUB; EPO; JPO; DERWENT
50	IS&R	4	((("6002703") or ("5995289") or ("6219187") or ("6259713")).PN.	USPAT
51	BRS	30	("3290539" "3686543" "4477730" "4716568" "4718070" "5040187" "5128951" "5166755" "5222088" "5284790" "5311530" "5311535" "5325384" "5333077" "5343489" "5355388" "5526373" "5572542" "5574740" "5576752" "5594591" "5610759" "5610934" "5615042" "5627850" "5631918" "5644584" "5668825" "5907404" "5995289").PN.	USPAT
52	BRS	2	6259713.URPN.	USPAT
53	BRS	456	(high near power) with (light near emitt\$5 near diod\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT
54	BRS	836	(high near power) same (light near emitt\$5 near diod\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT
55	BRS	0	((high near power) same (light near emitt\$5 near diod\$4)) and (parabolic\$4 near reflector) and (transparent near tip)	USPAT; US-PGPUB; EPO; JPO; DERWENT
56	BRS	19	((high near power) same (light near emitt\$5 near diod\$4)) and (parabolic\$4 near reflector)	USPAT; US-PGPUB; EPO; JPO; DERWENT
57	BRS	1	((high near power) same (light near emitt\$5 near diod\$4)) and (micro near5 reflector)	USPAT; US-PGPUB; EPO; JPO; DERWENT
58	BRS	163	((high near power) same (light near emitt\$5 near diod\$4)) and reflector	USPAT; US-PGPUB; EPO; JPO; DERWENT
59	BRS	33	((high near power) same (light near emitt\$5 near diod\$4)) and cup	USPAT; US-PGPUB; EPO; JPO; DERWENT
60	BRS	675	313/512.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT
61	BRS	0	313/512.ccls. and (micro near reflector)	USPAT; US-PGPUB; EPO; JPO; DERWENT
62	BRS	11	313/512.ccls. and (parabol\$5 near reflector)	USPAT; US-PGPUB; EPO; JPO; DERWENT
63	BRS	3	313/512.ccls. and (parabol\$5 with reflect\$5 with cup)	USPAT; US-PGPUB; EPO; JPO; DERWENT
64	BRS	128543	light near emitt\$5 near diod\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT
65	BRS	128543	light near emitt\$5 near diod\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT
66	BRS	25	(light near emitt\$5 near diod\$4) and (parabol\$5 with reflect\$5 with cup)	USPAT; US-PGPUB; EPO; JPO; DERWENT
67	BRS	0	20020085390.URPN.	USPAT

	Type	Hits	Search Text	DBs
68	BRS	31	("3621340" "3819974" "4275333" "4303913" "4365184" "4377769" "4563297" "5049779" "5208462" "5291098" "5312560" "5438198" "5523018" "5641582" "5700591" "5811924" "5813752" "5813753" "5847507" "5957560" "5959316" "5998925" "6153123" "6212213" "6229338" "6234648" "6252254" "6255670" "6273589" "6294800" "6351069").PN.	USPAT
69	BRS	0	6686691.URPN.	USPAT
70	BRS	0	6686691.URPN.	USPAT
71	BRS	31	("3621340" "3819974" "4275333" "4303913" "4365184" "4377769" "4563297" "5049779" "5208462" "5291098" "5312560" "5438198" "5523018" "5641582" "5700591" "5811924" "5813752" "5813753" "5847507" "5957560" "5959316" "5998925" "6153123" "6212213" "6229338" "6234648" "6252254" "6255670" "6273589" "6294800" "6351069").PN.	USPAT
72	BRS	1452	flashlight and (light near emitt\$5 near diod\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT
73	BRS	15	flashlight and (light near emitt\$5 near diod\$4) and (printed near circuit near board) and (parabol\$5 near reflector) and lens	USPAT; US-PGPUB; EPO; JPO; DERWENT
74	BRS	15	flashlight and (light near emitt\$5 near diod\$4) and (printed near circuit near board) and (parabol\$5 near reflector)	USPAT; US-PGPUB; EPO; JPO; DERWENT
75	BRS	234	flashlight and (light near emitt\$5 near diod\$4) and (printed near circuit near board)	USPAT; US-PGPUB; EPO; JPO; DERWENT
76	BRS	191	(flashlight and (light near emitt\$5 near diod\$4) and (printed near circuit near board)) and @ad < "20020811"	USPAT; US-PGPUB; EPO; JPO; DERWENT
77	BRS	111	(flashlight and (light near emitt\$5 near diod\$4) and (printed near circuit near board)) and @ad < "20000811"	USPAT; US-PGPUB; EPO; JPO; DERWENT
78	BRS	315	directivity near angle	USPAT; US-PGPUB; EPO; JPO; DERWENT
79	BRS	24	(light near emitt\$5 near diod\$4) and (directivity near angle)	USPAT; US-PGPUB; EPO; JPO; DERWENT
80	BRS	0	((high near power) same (light near emitt\$5 near diod\$4)) and (directivity near angle)	USPAT; US-PGPUB; EPO; JPO; DERWENT
81	BRS	0	((high near power) same (light near emitt\$5 near diod\$4)) same (directivlty near angle)	USPAT; US-PGPUB; EPO; JPO; DERWENT
82	BRS	3	(light near emitt\$5 near diod\$4) same (directivity near angle)	USPAT; US-PGPUB; EPO; JPO; DERWENT
83	BRS	0	(light near emitt\$5 near diod\$4) same (optical near directivity near angle)	USPAT; US-PGPUB; EPO; JPO; DERWENT
84	BRS	0	(light near emitt\$5 near diod\$4) and (optical near directivity near angle)	USPAT; US-PGPUB; EPO; JPO; DERWENT
85	BRS	116	(light near emitt\$5 near diod\$4) and (directivity near5 angle)	USPAT; US-PGPUB; EPO; JPO; DERWENT

	Type	Hits	Search Text	DBs
86	BRS	0	(light near emitt\$5 near diod\$4) with ((directivity near5 angle) with "20 degree")	USPAT; US-PGPUB; EPO; JPO; DERWENT
87	BRS	18	(light near emitt\$5 near diod\$4) with (directivity near5 angle)	USPAT; US-PGPUB; EPO; JPO; DERWENT